



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
1 of 8

## Finger Lakes Hydro LLC

Contact Person: Ari Grossman  
Bloomfield, NY 14469  
info@6pointcannabis.com  
(585) 233-7947  
Lic. #OCM-MICR-24-000037

Flower - Stink - 3.5g  
Plant, Flower - Cured  
Parent Lot:

Sample: 2602RLI0121-0541

Strain: Stink

Batch#: 1A412030001200000000142; Batch Size: 840 units  
Sample Received: 02/03/2026; Report Created: 02/11/2026;

## Sampling

Sample Collection Date/Time: 02/03/26 10:31  
Sample Collection Site: Finger Lakes Hydro LLC  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:



## Safety

|            |            |                |                |
|------------|------------|----------------|----------------|
| Pass       | Pass       | Pass           | Pass           |
| Pesticides | Microbials | Mycotoxins     | Water Activity |
| Not Tested | Pass       | Pass           | Pass           |
| Solvents   | Metals     | Foreign Matter | Moisture       |

## Cannabinoids

19.53%

Total THC

ND

Total CBD

12.1%

Moisture

| Analyte                   | LOQ  | Result       | Result        |
|---------------------------|------|--------------|---------------|
|                           | mg/g | %            | mg/g          |
| CBDVa                     | 0.2  | ND           | ND            |
| CBDV                      | 0.2  | ND           | ND            |
| CBDa                      | 0.2  | ND           | ND            |
| CBGa                      | 0.2  | 0.45         | 4.5           |
| CBG                       | 0.2  | ND           | ND            |
| CBD                       | 0.2  | ND           | ND            |
| THCV                      | 0.2  | ND           | ND            |
| THCVa                     | 0.2  | ND           | ND            |
| CBN                       | 0.2  | ND           | ND            |
| Δ9-THC                    | 0.2  | 1.22         | 12.2          |
| Δ8-THC                    | 0.2  | ND           | ND            |
| (6aR,9R)-d10-THC          | 0.2  | ND           | ND            |
| (6aR,9S)-d10-THC          | 0.2  | ND           | ND            |
| CBC                       | 0.2  | ND           | ND            |
| THCa                      | 0.2  | 20.88        | 208.8         |
| CBCa                      | 0.2  | ND           | ND            |
| <b>Total Cannabinoids</b> |      | <b>22.55</b> | <b>225.47</b> |

Entered By: VJ, Instrument ID: AL2-004

Method: MTHD-001, Date Tested: 02/07/2026 09:21

Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
2 of 8

## Finger Lakes Hydro LLC

Contact Person: Ari Grossman  
Bloomfield, NY 14469  
info@6pointcannabis.com  
(585) 233-7947  
Lic. #OCM-MICR-24-000037

Flower - Stink - 3.5g  
Plant, Flower - Cured  
Parent Lot:

Sample: 2602RLI0121-0541

Strain: Stink

Batch#: 1A412030001200000000142; Batch Size: 840 units  
Sample Received: 02/03/2026; Report Created: 02/11/2026;

## Sampling

Sample Collection Date/Time: 02/03/26 10:31  
Sample Collection Site: Finger Lakes Hydro LLC  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Residual Solvents

Not Tested

Pass

| Analyte               | LOQ | Limit | Result | Status | Analyte               | LOQ   | Limit   | Result | Status |
|-----------------------|-----|-------|--------|--------|-----------------------|-------|---------|--------|--------|
| Aspergillus flavus    |     | CFU/g | 1      | Absent | Aspergillus flavus    | CFU/g | Absence | Pass   |        |
| Aspergillus fumigatus |     | CFU/g | 1      | Absent | Aspergillus fumigatus | CFU/g | Absence | Pass   |        |
| Aspergillus niger     |     | CFU/g | 1      | Absent | Aspergillus niger     | CFU/g | Absence | Pass   |        |
| Aspergillus terreus   |     | CFU/g | 1      | Absent | Aspergillus terreus   | CFU/g | Absence | Pass   |        |
| Salmonella            |     | CFU/g | 1      | Absent | Salmonella            | CFU/g | Absence | Pass   |        |
| Shiga Toxin E. Coli   |     | CFU/g | 1      | Absent | Shiga Toxin E. Coli   | CFU/g | Absence | Pass   |        |
| Aerobic Bacteria      |     | N/A   | 10     |        | Aerobic Bacteria      | N/A   | 800     | Tested |        |
| Yeast & Mold          |     | N/A   | 10     |        | Yeast & Mold          | N/A   | 8200000 | Tested |        |

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012  
Aerobic Date Tested: 02/05/2026 15:32  
YM Date Tested: 02/06/2026 14:34 Sal/STEC/Asp Date Tested: 02/08/2026 11:39  
Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

## Heavy Metals

Pass

| Analyte  | LOQ    | Limit    | Result | Status |
|----------|--------|----------|--------|--------|
| Chromium | PPM    | PPM      | PPM    |        |
| Nickel   | 1.0000 | 110.0000 | ND     | Pass   |
| Copper   | 0.5000 | 5.0000   | ND     | Pass   |
| Arsenic  | 1.0000 | 30.0000  | 7.1250 | Pass   |
| Cadmium  | 0.1000 | 0.2000   | <LOQ   | Pass   |
| Antimony | 0.5000 | 2.0000   | ND     | Pass   |
| Mercury  | 0.0500 | 0.1000   | ND     | Pass   |
| Lead     | 0.2500 | 0.5000   | <LOQ   | Pass   |

Entered By: BW, Instrument ID: AL2-001  
Method: MTHD-006 Date Tested: 02/06/2026 12:42  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

## Mycotoxins

Pass

| Analyte          | LOQ   | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
| Aflatoxin B1     | µg/g  | µg/g  | µg/g   |        |
| Aflatoxin B2     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin G1     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin G2     | 0.005 | 0.020 | ND     | Pass   |
| Ochratoxin A     | 0.005 | 0.020 | ND     | Pass   |
| Total Aflatoxins |       | 0.020 | ND     | Pass   |

Entered By: at, Instrument ID: AL1-003  
Method: MTHD-009 Date Tested: 02/07/2026 01:27

Entered By: , Instrument ID:

Method: , Date Tested:

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
3 of 8

## Finger Lakes Hydro LLC

Contact Person: Ari Grossman  
Bloomfield, NY 14469  
info@6pointcannabis.com  
(585) 233-7947  
Lic. #OCM-MICR-24-000037

Flower - Stink - 3.5g  
Plant, Flower - Cured  
Parent Lot:

Sample: 2602RLI0121-0541

Strain: Stink

Batch#: 1A412030001200000000142; Batch Size: 840 units  
Sample Received: 02/03/2026; Report Created: 02/11/2026;

## Sampling

Sample Collection Date/Time: 02/03/26 10:31  
Sample Collection Site: Finger Lakes Hydro LLC  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Terpenes

## Complete

## Primary Aromas

| Analyte             | LOQ    | Result | Result |
|---------------------|--------|--------|--------|
| Limonene            | 0.0125 | 0.48   | 4.78   |
| β-Caryophyllene     | 0.0125 | 0.33   | 3.26   |
| Linalool            | 0.0125 | 0.15   | 1.49   |
| α-Pinene            | 0.0125 | 0.09   | 0.91   |
| α-Humulene          | 0.0125 | 0.09   | 0.86   |
| α-Bisabolol         | 0.0125 | 0.04   | 0.44   |
| β-Myrcene           | 0.0125 | 0.04   | 0.39   |
| β-Pinene            | 0.0125 | 0.04   | 0.38   |
| Terpinolene         | 0.0125 | 0.02   | 0.22   |
| Camphene            | 0.0125 | 0.02   | 0.17   |
| α-Phellandrene      | 0.0125 | ND     | ND     |
| α-Terpinene         | 0.0125 | ND     | ND     |
| Caryophyllene Oxide | 0.0125 | ND     | ND     |
| Farnesene           | 0.0125 | ND     | ND     |
| Fenchol             | 0.0125 | ND     | ND     |
| Geraniol            | 0.0125 | ND     | ND     |
| Guaiol              | 0.0125 | ND     | ND     |
| Ocimene             | 0.0125 | ND     | ND     |
| Terpineol           | 0.0125 | ND     | ND     |
| Valencene           | 0.0125 | ND     | ND     |



Orange



Cinnamon



Lavender



Pine



Hops

1.2901%

Total Terpenes

Entered By: VJ, Instrument ID: AL1-001  
Method: MTHD-005, Date Tested: 02/07/2026 2:06

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik

Quality Assurance Officer



Confident LIMS  
All Rights Reserved

[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)

(866) 506-5866

[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
4 of 8

## Finger Lakes Hydro LLC

Contact Person: Ari Grossman  
Bloomfield, NY 14469  
info@6pointcannabis.com  
(585) 233-7947  
Lic. #OCM-MICR-24-000037

Flower - Stink - 3.5g  
Plant, Flower - Cured  
Parent Lot:

Sample: 2602RLI0121-0541

Strain: Stink

Batch#: 1A412030001200000000142; Batch Size: 840 units  
Sample Received: 02/03/2026; Report Created: 02/11/2026;

## Sampling

Sample Collection Date/Time: 02/03/26 10:31  
Sample Collection Site: Finger Lakes Hydro LLC  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte              | LOQ  | Limit | Result | Status |
|----------------------|------|-------|--------|--------|
|                      | PPM  | PPM   | PPM    |        |
| Abamectin            | 0.05 | 0.50  | ND     | Pass   |
| Acephate             | 0.05 | 0.40  | ND     | Pass   |
| Acequinocyl          | 0.05 | 2.00  | ND     | Pass   |
| Acetamiprid          | 0.05 | 0.20  | ND     | Pass   |
| Aldicarb             | 0.05 | 0.40  | ND     | Pass   |
| Avermectin-B1a       |      |       | ND     | Tested |
| Avermectin-B1b       |      |       | ND     | Tested |
| Azadirachtin         | 0.25 | 1.00  | ND     | Pass   |
| Azoxystrobin         | 0.05 | 0.20  | ND     | Pass   |
| Bifenazate           | 0.05 | 0.20  | ND     | Pass   |
| Bifenthrin           | 0.05 | 0.20  | ND     | Pass   |
| Boscalid             | 0.05 | 0.40  | ND     | Pass   |
| Captan               | 0.50 | 1.00  | ND     | Pass   |
| Carbaryl             | 0.05 | 0.20  | ND     | Pass   |
| Carbofuran           | 0.05 | 0.20  | ND     | Pass   |
| Chlorantraniliprole  | 0.05 | 0.20  | ND     | Pass   |
| Chlordane            | 0.50 | 1.00  | ND     | Pass   |
| Chlorfenapyr         | 0.50 | 1.00  | ND     | Pass   |
| Chlormequat chloride | 0.05 | 1.00  | ND     | Pass   |
| Chlorpyrifos         | 0.05 | 0.20  | ND     | Pass   |
| Cinerin 1            |      |       | ND     | Tested |
| Clofentezine         | 0.05 | 0.20  | ND     | Pass   |
| Coumaphos            | 0.05 | 1.00  | ND     | Pass   |
| Cyfluthrin           | 0.05 | 1.00  | ND     | Pass   |
| Cypermethrin         | 0.05 | 1.00  | ND     | Pass   |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 02/07/2026 18:23

LC Method: MTHD-009 LC Date Tested: 02/07/2026 01:27

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
5 of 8

## Finger Lakes Hydro LLC

Contact Person: Ari Grossman  
Bloomfield, NY 14469  
info@6pointcannabis.com  
(585) 233-7947  
Lic. #OCM-MICR-24-000037

Flower - Stink - 3.5g  
Plant, Flower - Cured  
Parent Lot:

Sample: 2602RLI0121-0541

Strain: Stink

Batch#: 1A412030001200000000142; Batch Size: 840 units  
Sample Received: 02/03/2026; Report Created: 02/11/2026;

## Sampling

Sample Collection Date/Time: 02/03/26 10:31  
Sample Collection Site: Finger Lakes Hydro LLC  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte            | LOQ  | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
| Daminozide         | 0.05 | 1.00  | ND     | Pass   |
| Diazinon           | 0.05 | 0.20  | ND     | Pass   |
| Dichlorvos         | 0.05 | 1.00  | ND     | Pass   |
| Dimethoate         | 0.05 | 0.20  | ND     | Pass   |
| Dimethomorph       | 0.05 | 1.00  | ND     | Pass   |
| Ethoprophos        | 0.05 | 0.20  | ND     | Pass   |
| Etofenprox         | 0.05 | 0.40  | ND     | Pass   |
| Etoxazole          | 0.05 | 0.20  | ND     | Pass   |
| Fenhexamid         | 0.05 | 1.00  | ND     | Pass   |
| Fenoxy carb        | 0.05 | 0.20  | ND     | Pass   |
| Fenpyroximate      | 0.05 | 0.40  | ND     | Pass   |
| Fipronil           | 0.05 | 0.40  | ND     | Pass   |
| Flonicamid         | 0.05 | 1.00  | ND     | Pass   |
| Fludioxonil        | 0.05 | 0.40  | ND     | Pass   |
| Hexythiazox        | 0.05 | 1.00  | ND     | Pass   |
| Imazalil           | 0.05 | 0.20  | ND     | Pass   |
| Imidacloprid       | 0.05 | 0.40  | ND     | Pass   |
| Indolebutyric Acid | 0.05 | 1.00  | ND     | Pass   |
| Jasmolin 1         |      |       | ND     | Tested |
| Kresoxim Methyl    | 0.05 | 0.40  | ND     | Pass   |
| Malathion          | 0.05 | 0.20  | ND     | Pass   |
| Metalaxy           | 0.05 | 0.20  | ND     | Pass   |
| Methiocarb         | 0.05 | 0.20  | ND     | Pass   |
| Methomyl           | 0.05 | 0.40  | ND     | Pass   |
| Mevinphos          | 0.05 | 1.00  | ND     | Pass   |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 02/07/2026 18:23

LC Method: MTHD-009 LC Date Tested: 02/07/2026 01:27

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director



Violet Josik  
Quality Assurance Officer

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
6 of 8

## Finger Lakes Hydro LLC

Contact Person: Ari Grossman  
Bloomfield, NY 14469  
info@6pointcannabis.com  
(585) 233-7947  
Lic. #OCM-MICR-24-000037

Flower - Stink - 3.5g  
Plant, Flower - Cured  
Parent Lot:

Sample: 2602RLI0121-0541

Strain: Stink

Batch#: 1A412030001200000000142; Batch Size: 840 units  
Sample Received: 02/03/2026; Report Created: 02/11/2026;

## Sampling

Sample Collection Date/Time: 02/03/26 10:31  
Sample Collection Site: Finger Lakes Hydro LLC  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte                 | LOQ         | Limit       | Result | Status |
|-------------------------|-------------|-------------|--------|--------|
| MGK-264                 | PPM<br>0.05 | PPM<br>0.20 | ND     | Pass   |
| Myclobutanil            | PPM<br>0.05 | PPM<br>0.20 | ND     | Pass   |
| Naled                   | PPM<br>0.05 | PPM<br>0.50 | ND     | Pass   |
| Oxamyl                  | PPM<br>0.05 | PPM<br>1.00 | ND     | Pass   |
| Paclobutrazol           | PPM<br>0.05 | PPM<br>0.40 | ND     | Pass   |
| Parathion Methyl        | PPM<br>0.10 | PPM<br>0.20 | ND     | Pass   |
| Pentachloronitrobenzene | PPM<br>0.50 | PPM<br>1.00 | ND     | Pass   |
| Permethrins             | PPM<br>0.05 | PPM<br>0.20 | ND     | Pass   |
| Phosmet                 | PPM<br>0.05 | PPM<br>0.20 | ND     | Pass   |
| Piperonyl Butoxide      | PPM<br>0.05 | PPM<br>2.00 | ND     | Pass   |
| Prallethrin             | PPM<br>0.05 | PPM<br>0.20 | ND     | Pass   |
| Propiconazole           | PPM<br>0.05 | PPM<br>0.40 | ND     | Pass   |
| Propoxur                | PPM<br>0.05 | PPM<br>0.20 | ND     | Pass   |
| Pyrethrin 1             |             |             | ND     | Tested |
| Pyrethrin 2             |             |             | ND     | Tested |
| Pyrethrins              | PPM<br>0.05 | PPM<br>1.00 | ND     | Pass   |
| Pyridaben               | PPM<br>0.05 | PPM<br>0.20 | ND     | Pass   |
| Spinetoram              | PPM<br>0.05 | PPM<br>1.00 | ND     | Pass   |
| Spinetoram J            |             |             | ND     | Tested |
| Spinetoram L            |             |             | ND     | Tested |
| Spinosad                | PPM<br>0.05 | PPM<br>0.20 | ND     | Pass   |
| Spinosyn A              |             |             | ND     | Tested |
| Spinosyn D              |             |             | ND     | Tested |
| Spiromesifen            | PPM<br>0.05 | PPM<br>0.20 | ND     | Pass   |
| Spirotetramat           | PPM<br>0.05 | PPM<br>0.20 | ND     | Pass   |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 02/07/2026 18:23

LC Method: MTHD-009 LC Date Tested: 02/07/2026 01:27

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
7 of 8

## Finger Lakes Hydro LLC

Contact Person: Ari Grossman  
Bloomfield, NY 14469  
info@6pointcannabis.com  
(585) 233-7947  
Lic. #OCM-MICR-24-000037

Flower - Stink - 3.5g  
Plant, Flower - Cured  
Parent Lot:

Sample: 2602RLI0121-0541

Strain: Stink

Batch#: 1A412030001200000000142; Batch Size: 840 units  
Sample Received: 02/03/2026; Report Created: 02/11/2026;

## Sampling

Sample Collection Date/Time: 02/03/26 10:31  
Sample Collection Site: Finger Lakes Hydro LLC  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte         | LOQ  | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
|                 | PPM  | PPM   | PPM    |        |
| Spiroxamine     | 0.05 | 0.20  | ND     | Pass   |
| Tebuconazole    | 0.05 | 0.40  | ND     | Pass   |
| Thiacloprid     | 0.05 | 0.20  | ND     | Pass   |
| Thiamethoxam    | 0.05 | 0.20  | ND     | Pass   |
| Trifloxystrobin | 0.05 | 0.20  | ND     | Pass   |

Entered By: at, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 02/07/2026 18:23

LC Method: MTHD-009 LC Date Tested: 02/07/2026 01:27

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
8 of 8

## Finger Lakes Hydro LLC

Contact Person: Ari Grossman  
Bloomfield, NY 14469  
info@6pointcannabis.com  
(585) 233-7947  
Lic. #OCM-MICR-24-000037

Flower - Stink - 3.5g  
Plant, Flower - Cured  
Parent Lot:

Moisture Date/Time Tested: 02/04/2026; 12:10  
Moisture Method: MTHD-003

Sample: 2602RLI0121-0541

Strain: Stink

Batch#: 1A412030001200000000142; Batch Size: 840 units  
Sample Received: 02/03/2026; Report Created: 02/11/2026;

## Sampling

Sample Collection Date/Time: 02/03/26 10:31  
Sample Collection Site: Finger Lakes Hydro LLC  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

Water Activity Date/Time Tested: 02/04/2026; 1100  
Water Activity Method: MTHD-002

**0.23 aw**

Limit: 0.65 aw

**Pass**

**Water Activity**

**12.1%**

Limit: 15.0 %

**Pass**

**Moisture**

## Foreign Matter

Foreign Matter Method: MTHD-004  
Foreign Matter Date/Time Tested: 02/04/2026; 1105

Pass

| Analyte          | Limit    | Result | Status |
|------------------|----------|--------|--------|
| Mammal Excrement | 0.00022% | 0      | Pass   |
| FM Stems         | 5%       | 0      | Pass   |
| FM Other         | 2%       | 0      | Pass   |

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.